


TANDEM swivel pull-out



TANDEM swivel pull-out


■ Package contents



TANDEM swivel pull-out

■ Aligning the unit

1. Screw on wall bracket





2. Align unit using spirit level




TANDEM swivel pull-out

- Bottom pull-out profile
- Fixing the position
- Marking the screw holes



TANDEM swivel pull-out

■ Side top runner profile



TANDEM swivel pull-out

■ Middle and bottom pivot journal



1. Mark middle and bottom pivot journal



TANDEM swivel pull-out




- Middle and bottom pivot journal
- Bottom pull-out profile

1. Screw on pivot journal





2. Screw on pull-out profile




TANDEM swivel pull-out

- SoftStopp
- Pull-out frame
- Runner carriage

1. Install SoftStopp





2. Screw together pull-out frame and runner carriage




TANDEM swivel pull-out

- Dropping in pull-out shelf at top
- Pushing in at bottom



TANDEM swivel pull-out

■ Installing the door shelf






TANDEM swivel pull-out

- Equipping the pull-out shelf
- Inserting the baskets, trays



TANDEM swivel pull-out

- Disassembling the door follower



TANDEM swivel pull-out

- Disassembling the pull-out shelf



Note:
First pull out at bottom...



...then detach at top!

